

Every Day Starts With Quality

Dawn[™]

Vol.
26

Dawn Industries Product Catalog

dawnindustries.com



| dawnindustries.com

About Dawn




Leading with Innovation

At Dawn Industries, Inc., our mission is to save water system professionals time and money. With over 40 years of experience, we have pioneered some of the industry's most innovative and reliable water system and replacement products.

Guided by a team of skilled engineers, dedicated sales experts, and responsive support staff, we collaborate with industry professionals to develop solutions that make a meaningful impact.

Follow us on Social Media

Stay connected with Dawn Industries. Follow us on LinkedIn to stay up-to-date on company news, events, and industry updates. Subscribe to our YouTube channel for educational videos, including step-by-step installation guides for our products



Commitment to Customer Satisfaction

Our commitment to customers goes beyond products. At Dawn, we focus on providing reliable solutions, quality service, and genuine support. We take pride in building strong relationships and ensuring our customers have the right products for their needs.

We are dedicated to maintaining high standards and offering dependable service. We appreciate the opportunity to serve you, now and into the future, with the same trust and reliability you've come to expect.

Every Day Starts With Quality

Visit our website

For product updates, installation guides and videos, and general irrigation information.

dawnindustries.com



Finding a distributor is just a click away. Check out our website for a distributor near you.

Contact us

Dawn Industries
5055 W. 58th Ave,
Arvada,
Colorado 80002 USA
Phone: 1-303-296-4041
Toll-Free: 1-800-321-7246
Fax: 1-303-295-6604
sales@dawnindustries.com

Contents

Cutters

KwikCut™ Cutters	4
KwikCut™ Replacement Blades	4

Fittings

NEW KwikTap™ Tool-Less Saddle	6
KwikSaddle™ Self Tapping Saddle Tees	8
KwikAdapt™ Swing/Drip Fittings	10
KwikSeal™ Saddles	12
Coring Tool	12
Nut Driver	12
KwikRepair™ PVC Repair Fittings	14
KwikConnect™ O-Ring & Lock Ring Fittings	16
KwikSlip™ PVC Glue Fittings	18
KwikSnap™ PVC Glue Saddle	19

Tools

KwikPuller™ Pipe Pullers	20
KwikLink™	20
Utility Knives	21
Turf Knife	21

Hack Saws	22
Hand Saws	22
Rope Saw	22
Wire Stippers/Cutters	23
Pinch Clamp Crimpers	24
Groove Joint Pliers	24
Dead Blow Hammer	24
Nipple Extractor	24
Four Way Key	24

Accessories

KwikBucket Storage Organizer	26
KwikBucket Sorting Tray	26
KwikTote	26
KwikGlue Tote	26
KwikCap	26
KwikSplice Direct Bury	27

Conditions of Sale	28
Notes	30



Dawn is committed to product development and improvement so specifications may change without notice and without incurring liability. © All photographs and drawings used in the Dawn catalog are the property of Dawn Industries and are protected by Copyright. Reproduction in whole or part, in any form of medium, without written approval from Dawn Industries is prohibited. TM ® Trademarks and Registered Trademarks, where indicated, are owned by Dawn Industries.

Every Day Starts With Quality

KwikCut™

Professional Quality

Premium cutters delivering longer lasting performance and clean, straight cuts. Designed for polyethylene, PVC pipe, hose and tube, with high quality blades manufactured under exceptional quality control.

Features

- Clean, smooth right angle cut, eliminating chamfering of the pipe
- Fiberglass reinforced nylon handles for durability and long life
- SL Series has spring loaded action and safety close clip
- Stainless Steel & PTFE Coated blade options
- Replacement blades available
- Pre-packaged in ready-to-hang, safe and secure retail pack
- T Series Patented (US Patent #4336652)
- SL Series Patented (US Patent #6370780)

T & SL Series 100

1/8" – 1 1/8" (3 mm – 32 mm)

T & SL Series 135

1/8" – 1 5/8" (3 mm – 42 mm)

T & SL Series 200

1/8" – 1 7/8" (3 mm – 48 mm)



KwikCut™
Spring Action
SL100
PTFE Blade



KwikCut™
BT100-SS
Stainless Steel
Replacement
Blade



Applications

Cutting of PE, HDPE, PVC pipe, hose, conduit & electrical cables for irrigation, landscape, plumbing and electrical applications.



Watch the Video

Scan this QR code to watch the video



KwikCut™ Standard T100
Stainless Steel Blade



KwikCut™ Spring Action SL135
PTFE Blade



KwikCut™ Standard T200 Black
Stainless Steel Blade



KwikCut™ BT135 PTFE Replacement Blade



KwikCut™
Safe &
Secure Retail
Packaging

Ordering Information - KwikCut™ Standard T Series

Description	Part Number	Pack Quantity	Units Per Carton
KwikCut™ T100 Orange - PTFE Blade	T100-0	1	50
KwikCut™ T100 Black - PTFE Blade	T100	1	50
KwikCut™ T100 Orange - Stainless Steel Blade	T100-0-SS	1	50
KwikCut™ T100 Black - Stainless Steel Blade	T100-SS	1	50
KwikCut™ T135 Orange - PTFE Blade	T135-0	1	50
KwikCut™ T135 Black - PTFE Blade	T135	1	50
KwikCut™ T135 Orange - Stainless Steel Blade	T135-0-SS	1	50
KwikCut™ T135 Black - Stainless Steel Blade	T135-SS	1	50
KwikCut™ T200 Black - Stainless Steel Blade	SS200	1	50

Ordering Information - KwikCut™ Spring Loaded SL Series

Description	Part Number	Pack Quantity	Units Per Carton
KwikCut™ SL100 Orange - PTFE Blade	SL100-0	1	50
KwikCut™ SL100 Black - PTFE Blade	SL100	1	50
KwikCut™ SL100 Orange - Stainless Steel Blade	SL100-0-SS	1	50
KwikCut™ SL100 Black - Stainless Steel Blade	SL100-SS	1	50
KwikCut™ SL135 Orange - PTFE Blade	SL135-0	1	50
KwikCut™ SL135 Black - PTFE Blade	SL135	1	50
KwikCut™ SL135 Orange - Stainless Steel Blade	SL135-0-SS	1	50
KwikCut™ SL135 Black - Stainless Steel Blade	SL135-SS	1	50
KwikCut™ SL200 Black - Stainless Steel Blade	SL200	1	50

Ordering Information - KwikCut™ Replacement Blades

Description	Part Number	Pack Quantity	Units Per Carton
KwikCut™ BT100 - PTFE Blade	BT100	1	250
KwikCut™ BT100 - Stainless Steel Blade	BT100-SS	1	250
KwikCut™ BT135 - PTFE Blade	BT135	1	250
KwikCut™ BT135 - Stainless Steel Blade	BT135-SS	1	250
KwikCut™ SS200 - Stainless Steel Blade	SSB200	1	250



KwikTap™

Professional Quality

KwikTap™ Saddle Tees offer a tool-free and clamp-free solution for connecting to poly tubing, making installation fast and versatile while enhancing flow efficiency.

Features

- Tool-free design: no snaps, straps, or cutting required
- Installs 6x faster than insert fittings with worm screw clamps
- Easily removable & reusable
- Reinforced Nylon top & ABS bottom for durability
- Options for swing elbow & straight adapters
- Metric sizes available
- Patented (US Patent #7150289)
- Suitable for rotors, spray bodies, and swing/drip connections



KwikTap™ Saddle
1/2" or 3/4" FPT



Watch the Video

Scan this QR code to watch the video

Ordering Information - KwikTap™ Saddles

Description	Part Number	Pack Quantity	Units Per Carton
3/4" PE x 1/2" FPT	KT007C	10	200
3/4" PE x 3/4" FPT	KT007D	10	200
1" PE x 1/2" FPT	KT010C	10	200
1" PE x 3/4" FPT	KT010D	10	200
1 1/4" PE x 1/2" FPT	KT012C	10	200
1 1/4" PE x 3/4" FPT	KT012D	10	200
1 1/2" PE x 1/2" FPT	KT015C	10	200
1 1/2" PE x 3/4" FPT	KT015D	10	200

Ordering Information - KwikTap™ Saddles (Metric)

Description	Part Number	Pack Quantity	Units Per Carton
25 mm PE x 1/2" FPT	KT025C	10	200
25 mm PE x 3/4" FPT	KT025D	10	200
32 mm PE x 1/2" FPT	KT032C	10	200
32 mm PE x 3/4" FPT	KT032D	10	200

Performance Chart

Flow Rate	Flow Restriction	Quick Burst Test
13.6 gpm @ 40 psi (15.5 lpm @ 275 kPa)	41% less than standard insert tee	392 psi (2702 kPa) @ 62 seconds - The KwikTap™ fitting did not fail

KwikTap™ Saddle with Swing Elbow Adapter



KwikTap™ Saddle with Swing Straight Adapter



KwikTap™ Saddle with Drip Adapter



Ordering Information - KwikTap™ Saddle w/ Elbow Adapter

Description	Part Number	Pack Quantity	Units Per Carton
3/4" PE x Swing Elbow	KT007SW-E	10	200
1" PE x Swing Elbow	KT010SW-E	10	200
1 1/4" PE x Swing Elbow	KT012SW-E	10	200
1 1/2" PE x Swing Elbow	KT015SW-E	10	100

Ordering Information - KwikTap™ Saddle w/ Elbow Adapter (Metric)

Description	Part Number	Pack Quantity	Units Per Carton
25 mm PE x Swing Elbow	KT025SW-E	10	200
32 mm PE x Swing Elbow	KT0032SW-E	10	100


Ordering Information - KwikTap™ Saddle w/ Straight Adapter

Description	Part Number	Pack Quantity	Units Per Carton
3/4" PE x 17 mm Male Adapter	KT007DMA17	10	200
3/4" PE x Swing Straight	KT007SW-S	10	200
1" PE x 17 mm Male Adapter	KT010DMA17	10	200
1" PE x Swing Straight	KT010SW-S	10	200
1 1/4" PE x Swing Straight	KT012SW-S	10	200
1 1/2" PE x Swing Straight	KT015SW-S	10	100

Ordering Information - KwikTap™ Saddle w/ Straight Adapter (Metric)

Description	Part Number	Pack Quantity	Units Per Carton
25 mm PE x 17 mm Male Adapter	KT025DMA17	10	200
25 mm PE x Swing Straight	KT025SW-S	10	200
32 mm PE x 17 mm Male Adapter	KT032DMA17	10	200
32 mm PE x Swing Straight	KT032SW-S	10	200

Installing KwikTap™ Saddles





KwikSaddle™

Professional Quality

NEW

The New KwikSaddle™ is a self-tapping saddle featuring a tool-free design that pushes down onto the pipe for a faster, improved installation.

Features

- Tool-free design - no bolts, washers, nuts or o-rings to perish
- Less digging required for installation
- Available with and without a straight adaptor
- Compatible with Dawn KwikAdapt™ swing fittings
- Installs in under 10 seconds
- Easy-grip handles for secure installation



KwikSaddle™ 1" Poly x 1/2" FPT

KwikSaddle™ 1" Poly x Swing Pipe Barb

LESS DIGGING REQUIRED

Installs from pipe above



SECURE SEAL

KWIK INSTALLATION


ROBUST CONNECTION

Ordering Information - KwikSaddle™

Description	Part Number	Pack Quantity	Units Per Carton
1" Poly x 1/2" FPT	KS010C	25	125

Ordering Information - KwikSaddle™ w/ Straight Adapter

Description	Part Number	Pack Quantity	Units Per Carton
1" Poly x Swing Pipe Barb	KS010SW-S	25	125



Watch the Video

Scan this QR code to watch the video

Installing KwikSaddle™

1


Push down to lock

2


Screw in tap

3


Click to lock

4


OPTIONAL
Choose Fitting

Installing KwikSaddle™ with Straight Adapter

1



Push down to lock

2


Screw in tap

3


Click to lock

4


Push in tube

KwikAdapt™

Professional Quality

KwikAdapt™ fittings provide a quick and reliable way to connect Polyethylene Pipe to Swing/Drip tubing with a single-piece design. Built for strength and convenience, the barb and spike combination keeps connections secure, even under pressure surges.

Features

- Easy, fast installation
- Universal thread sizes for versatile use
- Strong barb & spike design ensures stability
- Made in USA



Watch the Video

Scan this QR code to watch the video



Poly Swing Coupler



Coupler x Swing Coupler 17 mm



Poly Elbow 1/2" MPT



Poly Elbow 3/4" MPT



Poly Straight 1/2" MPT



Poly Straight 3/4" MPT

Ordering Information - Swing & Drip Couplers

Description	Part Number	Pack Quantity	Units Per Carton
Drip Coupler 17 mm	DC1429-017	50	1000
Poly Swing Coupler	SW1429-003	50	1000
Coupler x Swing Coupler 17 mm	DC1429-017-003	50	1000

Ordering Information - Swing Elbow Adapters

Description	Part Number	Pack Quantity	Units Per Carton
Poly Elbow: 1/2" MPT x Swing Elbow Adapter	SW1413-073	50	1000
Poly Elbow: 3/4" MPT x Swing Elbow Adapter	SW1413-099	50	1500

Ordering Information - Swing & Drip Adapters

Description	Part Number	Pack Quantity	Units Per Carton
Poly Straight: 1/2" MPT x 17 mm Drip Adapter	DMA17-050	50	1000
Poly Straight: 1/2" MPT x Swing Straight Adapter	SW1436-073	50	1000
Poly Straight: 3/4" MPT x Swing Straight Adapter	SW1436-099	50	1000



Poly Swing Tee



Poly Swing Tee x 1/2" MPT



Tee 17 mm x MPT



Poly Insert Tee x Swing Tee



Poly Coupler Adapt to Swing

Ordering Information - Swing, Drip & Threaded Swing Tees

Description	Part Number	Pack Quantity	Units Per Carton
Poly Swing Tee	SW1401-003	50	1000
Poly Swing Tee x 1/2" MPT	SW1403-003	50	1000
Tee 17 mm x MPT	DT1403-017	50	1000
Tee 17 mm	DT1401-017	50	1000

Ordering Information - Swing/Drip Insert Tees

Description	Part Number	Pack Quantity	Units Per Carton
Poly Insert Tee 3/4" x Swing Tee	SW1401-099	10	250
Poly Insert Tee 1" x Swing Tee	SW1401-129	10	250
Poly Insert Tee 3/4" x 17 mm Adapter	DT1401-099-017	10	250
Poly Insert Tee 1" x 17 mm Adapter	DT1401-129-017	10	250

Ordering Information - End of Lines

Description	Part Number	Pack Quantity	Units Per Carton
Poly Coupler Adapt 3/4" PE to Swing	SW1429-099	25	1000
Poly Coupler Adapt 1" PE to Swing	SW1429-129	25	1000



KwikSeal™

Professional Quality

Low-profile, durable solution for Polyethylene pipes, eliminating common issues with traditional insert fittings. With a one-piece design and molded-in barb seal, it's secure and hassle-free, built to last without gaskets or clamps.

Features

- One-piece hinged design for easy installation
- Withstands over 400 psi without leaks
- Molded-in barb seal with no gaskets or seals to lose
- 2 1/2" length protects the seal if the pipe is kinked or damaged near the saddle tee
- Rust-free, corrosion-resistant bolts and nuts made from fiberglass-reinforced nylon
- Coring tool compatible with all KwikSeal™ products
- Low-profile design with zero flow restriction
- Patented KwikSeal™ (US Patent #4789189)

Applications

Poly pipe in agriculture & commercial irrigation and landscape applications.



KwikSeal™ Taping
Saddle White



Watch the Video

Scan this QR code to
watch the video

Ordering Information - KwikSeal™ Saddles

Description	Part Number	Pack Quantity	Units Per Carton
Poly Saddle 3/4" x 1/2" FPT	75C	10	250
Poly Saddle 3/4" x 3/4" FPT	75D	10	250
Poly Saddle 1" x 1/2" FPT	100C	10	250
Poly Saddle 1" x 3/4" FPT	100D	10	250
Poly Saddle 1 1/4" x 3/4" FPT	125C	10	250
Poly Saddle 1 1/4" x 3/4" FPT	125D	10	250

Ordering Information - Coring Tool

Description	Part Number	Pack Quantity	Units Per Carton
Hole Coring Tool (fits 1/2" & 3/4" FPT)	HCT-COMBO	1	100

Ordering Information - Nut Driver

Description	Part Number	Pack Quantity	Units Per Carton
Nut Driver 9/16"	ND375	1	500



KwikSeal™ Taping Saddle Grey



Coring Tool




Nut Driver



KwikRepair™

Professional Quality

A simple solution for in-line PVC installation and repairs with one fitting. Its sleeve slides onto the pipe, allowing primer and solvent to be applied without bending—eliminating the need to dig long trenches and flex the pipe to fit regular couplers and tees.



KwikRepair™
Tee

Features

- Permanent & reliable solvent-weld seal without O-rings
- No thrust blocking or staking needed
- Ideal for repairs in tight spaces
- No installation tools required
- Available in coupling sizes ½" through 4" and tees from ½" through 2"
- Patented (US Patent #6318761)
- Made in USA


Applications

PVC repairs in agriculture & commercial irrigation applications.

Specifications

	Size		Collapsed		Extended		O.D.	
	in	mm	In	mm	In	mm	In	mm
Tees								
KRT401-005	1/2	15	6	152	7.5	191	1.2	31
KRT401-007	3/4	20	6.5	165	8.7	220	1.5	37
KRT401-010	1	25	7.4	188	9.8	249	1.8	46
KRT401-012	1 1/4	32	8.2	207	11.7	297	2.1	54
KRT401-015	1 1/2	40	10.2	259	13.2	335	2.4	60
KRT401-020	2	50	10.1	279	14.0	356	2.9	73
Couplers								
KRC429-005	1/2	15	3.9	99	5.8	146	1.2	31
KRC429-007	3/4	20	4.3	108	6.4	162	1.5	37
KRC429-010	1	25	4.8	122	6.9	175	1.8	46
KRC429-012	1 1/4	32	5.5	139	7.7	197	2.1	54
KRC429-015	1 1/2	40	6.4	163	9.4	239	2.4	60
KRC429-020	2	50	6.7	170	9.9	251	2.9	73
KRC429-025	2 1/2	65	8.9	225	12.4	314	3.5	90
KRC429-030	3	80	9.7	246	14.0	356	4.2	106
KRC429-040	4	100	10	255	14.2	361	5.2	132

Installing KwikRepair™ Coupler



**Refer to the solvent manufacturer's instructions for the recommended set time before pressurizing the pipe.*

Ordering Information - KwikRepair™ Tees

Description	Part Number	Pack Quantity	Units Per Carton
PVC Repair Tee 1/2" x 1/2" x 1/2"	KRT401-005	1	10
PVC Repair Tee 3/4" x 3/4" x 3/4"	KRT401-007	1	10
PVC Repair Tee 1" x 1" x 1"	KRT401-010	1	10
PVC Repair Tee 1 1/4" x 1 1/4" x 1 1/4"	KRT401-012	1	5
PVC Repair Tee 1 1/2" x 1 1/2" x 1 1/2"	KRT401-015	1	5
PVC Repair Tee 2" x 2" x 2"	KRT401-020	1	5

Ordering Information - KwikRepair™ Couplers

Description	Part Number	Pack Quantity	Units Per Carton
PVC Repair Coupler 1/2" x 1/2"	KRC29-005	1	10
PVC Repair Coupler 3/4" x 3/4"	KRC29-007	1	10
PVC Repair Coupler 1" x 1"	KRC29-010	1	10
PVC Repair Coupler 1 1/4" x 1 1/4"	KRC29-012	1	10
PVC Repair Coupler 1 1/2" x 1 1/2"	KRC29-015	1	10
PVC Repair Coupler 2" x 2"	KRC29-020	1	5
PVC Repair Coupler 2 1/2" x 2 1/2"	KRC29-025	1	5
PVC Repair Coupler 3" x 3"	KRC29-030	1	5
PVC Repair Coupler 4" x 4"	KRC29-040	1	5

Performance Chart

Diameter		Working pressure rating @ 73° F (22° C)	
Inches (in)	Millimeters (mm)	psi	kPa
1/2	15	450	3103
3/4	20	360	2482
1	25	338	2330
1 1/4	32	278	1916
1 1/2	40	248	1710
2	50	210	1448
2 1/2	65	225	1551
3	80	195	1344
4	100	165	1138




KwikRepair™ Coupler



Watch the Video

Scan this QR code to watch the video



KwikConnect™

Clampless Fitting for PE Systems

KwikConnect™ fittings feature double PTFE-coated Buna O-rings and an expanding lock ring, delivering a secure and reliable seal without the need for clamps or extra tools.

Features

- Installs in seconds
- Secure fit without clamps or tools to cut labor and installation time
- Engineering grade resin for increased strength and long life
- Threaded Tee & Elbows for sprinkler systems
- Patented (US Patent #8328241)

**Designed for use on 80, 100 and 160 psi pipe which meets ASTM D 2239 pressure rated polyethylene pipe standard as well as Ag drip pipe.*



In repeated high pressure testing (up to 400 psi) the KwikConnect™ never leaked or failed. In every test, the pipe burst without one KwikConnect™ failure. KwikConnects are designed for use wherever standard, ASTM D 2609, insert fittings are used.*

Applications

Agriculture & commercial irrigation and landscape applications.

Ordering Information - KwikConnect™ Coupling

Description	Part Number	Pack Quantity	Units Per Carton
Coupling 1" x 1"	KCC1429-010	10	200



Watch the Video

Scan this QR code to watch the video

Ordering Information - KwikConnect™ Elbow

Description	Part Number	Pack Quantity	Units Per Carton
Elbow 1" x 1"	KCE1406-010	10	250



Elbow

Ordering Information - KwikConnect™ Reducing Elbows

Description	Part Number	Pack Quantity	Units Per Carton
Reducing Elbow 1" x 1/2" FPT	KCRE1407-130	10	250
Reducing Elbow 1" x 3/4" FPT	KCRE1407-131	10	250



Reducing Elbow

Ordering Information - KwikConnect™ Tee

Description	Part Number	Pack Quantity	Units Per Carton
Tee 1" x 1" x 1"	KCT1401-010	10	200



Tee

Ordering Information - KwikConnect™ Reducing Tees

Description	Part Number	Pack Quantity	Units Per Carton
Reducing Tee 1" x 1" x 1/2" FPT	KCRT1402-130	10	200
Reducing Tee 1" x 1" x 3/4" FPT	KCRT1402-131	10	200



Reducing Tee

Ordering Information - KwikConnect™ Male Adapter

Description	Part Number	Pack Quantity	Units Per Carton
Male Adapter 1" x 1" MPT	KCMA1436-010	10	250



Male Adapter

Ordering Information - KwikConnect™ Swing x End of Line

Description	Part Number	Pack Quantity	Units Per Carton
Swing x End of Line 1"	KCEL1429-129	10	250



Swing x End of Line


KwikSlip™

Professional Quality

Reliable, one-piece glue fittings designed for seamless connections between PVC and Swing or Drip pipe. It eliminates the need for threaded elbows and tees, making installations faster and more efficient.

Features

- No threads to leak
- Saves on labor costs
- Reduces inventory needs
- Durable barb & spike design
- Manifold Cross & Tee reduces number of labor consuming manifold assemblies per job



Tee x Swing



Tee x 17 mm Drip



KwikSlip™ “Y”
Tee x Swing

Watch the Video

Scan this QR code to watch the video



Ordering Information - KwikSlip™ “Y” Tee x Swing

Description	Part Number	Pack Quantity	Units Per Carton
3/4" “Y” to Swing	SY-007	10	250
1" “Y” to Swing	SY-010	10	250

Ordering Information - KwikSlip™ Tee x Swing

Description	Part Number	Pack Quantity	Units Per Carton
3/4" Tee to Swing	ST-007	10	250
1" Tee to Swing	ST-010	10	250
1/2" Tee to Swing	ST-005	25	250

Ordering Information - KwikSlip™ Tee x 17 mm Drip

Description	Part Number	Pack Quantity	Units Per Carton
3/4" Tee x 17 mm Drip	STD17-007	10	250
1" Tee x 17 mm Drip	STD17-010	10	250



Spigot x Hub x Swing



Spigot x Hub x 17 mm Drip



Manifold Cross 1"



Manifold Tee 1"

KwikSnap™
Professional Quality



Snap-On Saddle

Ordering Information - KwikSlip™ Spigot x Hub x Swing

Description	Part Number	Pack Quantity	Units Per Carton
1" Spigot x 3/4" Hub to Swing	SC-131	10	250
1 1/4" Spigot x 1" Hub to Swing	SC-168	10	250
3/4" Spigot x 1/2" Hub to Swing	SC-101	25	250

Ordering Information - KwikSlip™ Spigot x Hub x 17 mm Drip

Description	Part Number	Pack Quantity	Units Per Carton
3/4" Spigot x 1" Hub to 17 mm Drip	SCD17-131	10	250
1 1/4" Spigot x 1" Hub to 17 mm Drip	SCD17-168	10	250

Ordering Information - Manifold Cross

Description	Part Number	Pack Quantity	Units Per Carton
1" Cross - Standard 1" Male Pipe Thread	D421	10	200

Made of virgin PVC compounds to schedule 40 strength

Ordering Information - Manifold Tee

Description	Part Number	Pack Quantity	Units Per Carton
1" Tee - Standard 1" Socket for Solvent Weld	D402	10	200

Made of virgin PVC compounds to schedule 40 strength

KwikSnap™ is a glue-on PVC Y Saddle for 3/4" and 1" PVC, featuring a 30° molded outlet to prevent kinking in swing pipes—simplifying installation with a single fitting.

Ordering Information - KwikSnap™ Snap-On Saddle

Description	Part Number	Pack Quantity	Units Per Carton
Snap-On Saddle 3/4" "Y" to Swing	KSY-007	25	250
Snap-On Saddle 1" "Y" to Swing	KSY-010	25	250


KwikPuller™

Professional Quality

A patented pipe puller designed for an efficient method of sealing pipes that instantly bends as it enters the ground. Just slip the pipe into the KwikPuller™—no extra sealing steps required.

Features

- Quick-start design begins working in seconds
- Seals pipe as it bends, eliminating the need for tape sealing
- Saves labor, fuel, and machine time
- Dual-pipe puller option for simultaneous pipe installations
- Compatible with Poly, PVC, conduit, gas pipe, and control wire
- Patented (US Patent #7654774)



Watch the Video

Scan this QR code to watch the video



Ordering Information - KwikPuller™ 1"

Description	Part Number	Pack Quantity	Units Per Carton
1" Heavy Duty Dual Pipe Puller	DPP01	1	25

Use with 1" and under Poly, PVC, conduit and control wire.

Ordering Information - KwikPuller™ 1 1/4" - 1 1/2"

Description	Part Number	Pack Quantity	Units Per Carton
1 1/4" - 1 1/2" Heavy Duty Pipe Puller	DPP15	1	15

Use with 1 1/4" to 1 1/2" Poly, PVC, conduit and control wire.

Ordering Information - KwikPuller™ 2"

Description	Part Number	Pack Quantity	Units Per Carton
2" Heavy Duty Pipe Puller	DPP02	1	15

Use with 2" Poly, PVC, conduit and control wire.

Ordering Information - KwikLink™

Description	Part Number	Pack Quantity	Units Per Carton
3/8" Quick Link for DPP	KL111	1	100



KwikPuller™ 1"
Dual Pipe Puller



KwikPuller™ 1 1/4"
- 1 1/2" Pipe Puller



KwikLink™



KwikPuller™ 2"
Pipe Puller

KwikCut™

Professional Quality

Designed for durability and precision, KwikCut™ Knives provide versatile cutting solutions for a range of applications.

Features

Utility Knife – Folding

- One-step blade release for easy operation
- Durable design folds with a button push
- Contoured handle with a metal pocket clip
- Compatible with most standard blades
- Retractable blade securely folds into the handle

Snap-Off Utility Knife

- Ideal for light-duty cutting and trimming
- Eight snap-off segments ensure a consistently sharp blade

Turf Knife “The Claw”

- Fixed hook serrated blade for quick, clean cuts of sod, turf, roofing, & floor coverings
- Made from cutlery-grade steel
- Comfortable, non-slip grip



Ordering Information - Snap Off Utility Knife

Description	Part Number	Pack Quantity	Units Per Carton
Snap Off Blade Knife	S0123	1	200

Ordering Information - Utility Knife - Folding

Description	Part Number	Pack Quantity	Units Per Carton
Utility Knife - Folding w/ 5 Spare Blades	UK200	1	60

Ordering Information - Turf Knife

Description	Part Number	Pack Quantity	Units Per Carton
Turf Knife “The Claw”	TK300	1	50

Ordering Information - Knife Replacement Blades

Description	Part Number	Pack Quantity	Units Per Carton
Snap-Off Utility Knife Replacement Blades	BS0123	10	50
Utility Knife Replacement Blades	BUK100	5	200



Utility Knife -
Folding



Snap Off
Blade Knife



Turf Knife
“The Claw”

KwikTools™

Professional Quality

Heavy-duty Hand Saws designed for cutting large PVC and ABS pipes with precision. The long-lasting, fine-tooth blades ensure quick, clean cuts. Mini Hack Saw and Rope Saw provide versatility for intricate cuts and tight spaces.

Features

- Hand Saws available in 9", 13" & 18" lengths
- Heavy-duty high tension Hack Saw cuts straight or at a 45° angle
- Hack Saw frame bar can be converted into a keyhole saw and used to store extra blades
- Lightweight Mini Hack Saw with ergonomic handle
- Rope Saw cuts plastic, soft wood & rubber in hard to reach places
- Replacement blades available



Ordering Information - Hand Saws

Description	Part Number	Pack Quantity	Units Per Carton
PVC / ABS Hand Saw 9"	GS09F	1	50
PVC / ABS Hand Saw 13"	GS13F	1	50
PVC / ABS Hand Saw 18"	GS18F	1	10

Ordering Information - Hack Saws

Description	Part Number	Pack Quantity	Units Per Carton
Heavy Duty Hack Saw 12"	HS12	1	6
Mini Hack Saw 10"	MH004	1	72

Ordering Information - Rope Saw

Description	Part Number	Pack Quantity	Units Per Carton
Wire Rope Saw 32"	RS32	1	100

Ordering Information - Saw Replacement Blades

Description	Part Number	Pack Quantity	Units Per Carton
Hand Saw Replacement Blade 9"	BGS09F	1	25
Hand Saw Replacement Blade 13"	BGS13F	1	25
Hand Saw Replacement Blade 18"	BGS18F	1	25
Hack Saw Replacement Blades 18 TPI	HSB18	10	50
Hack Saw Replacement Blades 24 TPI	HSB24	10	50
Hack Saw Replacement Blades 32 TPI	HSB32	10	50



KwikTools™

Professional Quality

Designed for efficiency and comfort, Dawn wire cutters are designed for stripping, cutting, and crimping wires.

Features

Self-Adjusting Wire Stripper & Crimper

- Innovative mechanism for stripping wires from 10-24 AWG
- Automatically adjusts to wire size and removes the outer jacket
- Crimps 10-22 AWG insulated and 4-22 AWG non-insulated wires

Ergonomic Wire Stripper/Cutter

- Features double-dipped handles with air cushion pockets for comfort
- Strips 10-20 gauge wire with ease
- Built-in bolt cutters for 6-32 and 8-32 bolts
- Electrician-grade durability

Wire Stripper/Cutter

- Narrow nose for tight spaces
- Spring-loaded action for quick, self-opening
- Shear-type cutting blades for clean, square cuts
- Hardened steel construction with precise stripping holes for 10 to 22 gauge wire
- Includes wire looping and bending holes for added functionality

Applications

For home gardeners, contractors and professionals.

Ordering Information - Self Adjusting Wire Stripper & Crimper

Description	Part Number	Pack Quantity	Units Per Carton
Self Adjusting Wire Stripper & Crimper	WS1024SA	1	60

Ordering Information - Ergonomic Wire Stripper/Cutter

Description	Part Number	Pack Quantity	Units Per Carton
Ergonomic Wire Stripper/Cutter	WS1022-ERGO	1	100

Ordering Information - Wire Stripper/Cutter

Description	Part Number	Pack Quantity	Units Per Carton
Wire Stripper/Cutter	WS1022	1	100



Ergonomic
Wire
Stripper/
Cutter



Wire
Stripper/
Cutter



Wire
Stripper
Self-Adjusting

KwikTools™

Professional Quality

High-quality tool steel Crimpers for installing or removing pinch clamps. Groove Joint Pliers feature parallel jaws for a strong grip in all positions, and the Dead Blow Hammer has a tough, non-marring striking face for controlled strikes.

Features

Crimpers

- Versatile tool for installing/removing pinch clamps, cutting wire strapping, and pulling nails
- Available in 8" and 12" lengths

Groove Joint Pliers

- Rust-resistant zinc phosphate jaws ensure a strong grip in all positions
- Available in 10", 12", and 16" lengths

Dead Blow Hammer

- 1.5 lb, no-bounce hammer delivers controlled strikes without marring

Nipple Extractor

- Sharp gripping blades allow fast removal of ¾" and ½" PVC or Polyethylene risers and nipples

Four-Way Key

- Fits stopcocks, sillcocks, and valves
- Made from durable heat-treated steel

Applications

For home gardeners, contractors and professionals.



Ordering Information - Crimpers

Description	Part Number	Pack Quantity	Units Per Carton
Pinch Clamp Crimping Tool 8"	CT108	1	50
Pinch Clamp Crimping Tool 12"	CT112	1	40



Ordering Information - Dead Blow Hammer

Description	Part Number	Pack Quantity	Units Per Carton
Deadblow Hammer 1.5 lb	DBH15	1	100

Ordering Information - Nipple Extractor

Description	Part Number	Pack Quantity	Units Per Carton
Nipple Extractor 1/2" - 3/4"	NE005	1	100

Ordering Information - Four Way Key

Description	Part Number	Pack Quantity	Units Per Carton
4 Way Silcock Key	KEY04	1	100

Ordering Information - Groove Joint Pliers

Description	Part Number	Pack Quantity	Units Per Carton
Groove Joint Plier 10"	GJP100	1	12
Groove Joint Plier 12"	GJP120	1	6
Groove Joint Plier 16"	GJP160	1	5



Dead Blow Hammer



Nipple Extractor



Four Way Key



Groove Joint Plier 10"

Groove Joint Plier 12"

Groove Joint Plier 16"

KwikAccessories™

Professional Quality

Organize your tools and supplies with durable, high-impact plastic storage solutions designed for efficiency and convenience.

Features

KwikBucket Storage Organizer

- High-impact plastic bucket with a heavy-duty handle & rugged, water-resistant lid
- Includes three large sorting trays

KwikBucket Sorting Tray

- High-impact plastic tray with four compartments designed to fit snugly inside a 5-gallon bucket

KwikTote "Industrial Strength"

- Made of high-density polyethylene, resistant to harsh chemicals, & oils
- Lightweight yet tough and durable, perfect for organizing tools in trucks

KwikGlue Tote

- Designed to carry quart or pint cans of glue & primer together, preventing spills & waste

KwikCap

- KwikCap Lighting – moisture resistant marker & cover for landscape lighting splices
- KwikCap Orange – A marker & cover for drain valves, stop valves, & waste valves

Ordering Information - KwikBucket Storage Organizer

Description	Part Number	Pack Quantity	Units Per Carton
Bucket Organizer with 3 large trays	B0111	1	8
Bucket Lid	BL111	1	20
Large Bucket parts tray	BOT01	1	32

Ordering Information - KwikGlue Tote

Description	Part Number	Pack Quantity	Units Per Carton
KwikGlue Tote	GT200	1	24

Ordering Information - KwikTote "Industrial Strength"

Description	Part Number	Pack Quantity	Units Per Carton
Easy Carry Parts Tray	PT005	1	6

Ordering Information - KwikCap - Orange

Description	Part Number	Pack Quantity	Units Per Carton
2" Direct Access Housing & Lid	ICAP-2	25	300
Universal 2" Replacement Lid	ILID-2	25	300

Ordering Information - KwikCap Lighting - Brown

Description	Part Number	Pack Quantity	Units Per Carton
2" Direct Access Housing & Lid	CAP-2DRY	25	300
Universal 2" Replacement Lid	ILID-2DRY	25	300



KwikGlue Tote
(Glue & Cutter not included)



KwikBucket

KwikCap Lighting - Brown



KwikBucket Parts Tray

KwikCap - Orange



KwikTote


KwikAccessories™

Professional Quality

KwikSplice Direct Bury kits offer tool-less installation for secure and protected wire connections.

Features

- Kit includes gel, tube, and UL-listed wire connector
- Non-melting, dielectric sealant protects against corrosion and maintains voltage
- Suitable for multiple wire connections
- Environmentally friendly, non-drying GreenPro sealant
- High metal affinity
- UV-rated for durability



Ordering Information - KwikSplice Direct Bury

Description	Part Number	Pack Quantity	Units Per Carton
Direct Bury Splice 8-12	DBS-812-T	25	500
Direct Bury Splice 14-12	DBS-1412-L	50	1000

KwikSplice Wire Range

	Wire Range	Voltage	Wire Type
DBS-812-T Direct Bury Splice 8-12	2-6 #14 Multi-conductor Wire 2-4 #12 SOL or STR 2-4 #10 SOL or STR 2-4 #8 SOL or STR 4 #12 SOL or STR 3 #14 to 1 #12 SOL or STR 2 #10 to 2 #12 & 2 #16 SOL or STR	30	Copper/Copper
DBS-1412-L Direct Bury Splice 14-12	2-12 #18 Multi-conductor Wire 2-6 #18 SOL or STR 2-5 #16 SOL or STR 4-#14 SOL or STR 3 #12 SOL or STR 2 #14 to 1 #12 SOL or STR 2 #16 to 2 #14 SOL or STR 2 #10 to 1 #12 SOL or STR	30	Copper/Copper

KwikSplice Specifications

	Dimensions	Splice Tube	Gel	Connector
DBS-812-T Direct Bury Splice 8-12	SK 8-12G Length: 3 ^{5/8} " I.D: 7/8"	High impact polypropylene, U.V. rated sunlight resistance	Non-melting synthetic dielectric waterproof sealant meets USDA H-1 rating	Steel spring, shell, flame retardant thermo plastic insulator
DBS-1412-L Direct Bury Splice 14-12	SK 14-12G Length: 2 ^{3/4} " I.D: 9/16"	High impact polypropylene, U.V. rated sunlight resistance	Non-melting synthetic dielectric waterproof sealant meets USDA H-1 rating	Steel spring, shell, flame retardant thermo plastic insulator

- 1 Insert the wires into the bottom of the gel-filled tube.
- 2 Position the wires within the channel.
- 3 Close the splice kit to secure the seal.





Freight Policy

Prices are F.O.B. Arvada, Colorado, freight prepaid to destination specified in the order. Dawn Industries charges a shipping and handling fee on each order, which is applied at time of order and reflected on customer's invoice.

Dawn Industries covers shipping and handling for standard ground delivery within the Continental United States and Canada on orders over \$1,500 before tax (including any backorders). Dawn Industries does not cover shipping and handling for orders shipping outside of the U.S. or Canada.

Minimum Order Policy

In an effort to consolidate processing costs and increase order efficiency, Dawn strongly encourages replacing frequent small orders with larger planned purchases.

- Minimum order – \$200
- International minimum order – \$500 USD
- Order in box/bag quantities to avoid broken box/bag charges

We understand that our customers may occasionally wish to place smaller orders, in such cases, a minimum \$10 special handling fee will be added. Broken box/bag orders will be charged a \$10 fee. We encourage you to support our policies so that we may continue to offer superior customer service at great prices.

Terms

Net 30 days from ship date. Prices subject to change without notice.

Product Returns

Dawn Industries has a no hassle guarantee, subject to the following:

The purpose of the no hassle guarantee is to ensure our distributors and dealers stock the product that suits their market and clientele.

- Return requests must be submitted to Dawn Industries within 1 year of the date of the original invoice.
- Returns after 1 year incur a 25% restocking charge and are subject to approval.
- Products may only be returned once the customer receives written authorization from Dawn Industries. If the return is authorized by Dawn Industries a Return Merchandise Authorization (RMA) number will be issued to the customer.
- Products returned must have the RMA number clearly marked on the outside of the box and reach Dawn Industries within 45 days from the date RMA is issued. All documentation and RMA number must accompany the return along with the original invoice number and an explanation why the product is being returned so that Dawn Industries may inspect the product accordingly.
- Only product that is current, non-obsolete, not specially manufactured, unused and in their original condition and original packaging will be considered for return. No returns are allowed on product with a ship date of older than 12 months.
- Refused shipments sent back to Dawn Industries without an RMA incur a 25% restocking charge.

- Upon receipt and inspection of the product, if the product is accepted for a return, a credit will be issued for the value on the original invoice, less freight, and cash discounts. At the option of Dawn Industries, full credit against future purchases or replacements will be made.
- Care must be taken to package all returns to ensure that they are not damaged in shipment. Dawn Industries will not credit items returned that have not been properly packed and as a result have sustained damage in shipment back to our facility.



*Dawn Industries Limited Warranty

Subject to the exclusions and limitations detailed below, Dawn Industries warrants to the original consumer that products of its manufacture will be free from defects in materials and workmanship under normal use and service for one year from the original consumer's date of purchase.


Limited

Limited means that Dawn Industries warrants to the original purchasers of products from Dawn Industries authorized distributors at the time of shipment such products shall be free of defects in material and workmanship while the tool or fitting is used under normal working conditions. Standard wear and tear, dulling over time, overloading, misuse, defacing the product, and acts of God are not covered under warranty.

When a warranty claim arises, the purchaser must contact Dawn Industries. If the defect comes under the terms of this limited warranty, Dawn Industries will arrange, at its sole discretion, one of the following options:

- The product will be repaired at Dawn Industries factory.
- Product will be replaced.

The purchaser is solely responsible for determining the suitability of Dawn Industries for the purchaser's use or resale, or for incorporating them into articles or using them in the purchaser's applications. The distributor is authorized to extend the foregoing limited warranty to its original purchasers in connection with the sales of Dawn Industries products, provided that such products shall not have been altered by the distributor. The distributor shall be fully responsible for any warranties the distributor makes to its purchasers which are broader or more extensive than Dawn Industries limited warranty.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.


[illegible]

Antelco Group of Companies

LINCOLN
Est. 1959
MOULDING THE FUTURE

 **ANTELCO®**

Dawn
TM



Dawn Industries
5055 W. 58th Ave,
Arvada,
Colorado 80002 USA
Phone: 1-303-296-4041
Toll-Free: 1-800-321-7246
Fax: 1-303-295-6604
sales@dawnindustries.com